



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|-----------------|-------------|----------------------|---------------------|------------------|
|-----------------|-------------|----------------------|---------------------|------------------|

10/520,000

08/05/2005

Gerd Mossakowski

P-57 MG

5129

28752 7590 08/28/2008  
LACKENBACH SIEGEL, LLP  
LACKENBACH SIEGEL BUILDING  
1 CHASE ROAD  
SCARSDALE, NY 10583

EXAMINER

LERNER, MARTIN

ART UNIT

PAPER NUMBER

2626

MAIL DATE

DELIVERY MODE

08/28/2008

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

|                              |                                      |  |  |
|------------------------------|--------------------------------------|--|--|
| <b>Office Action Summary</b> | <b>Application No.</b><br>10/520,000 | <b>Applicant(s)</b><br>MOSSAKOWSKI, GERD |  |
|                              | <b>Examiner</b><br>MARTIN LERNER     | <b>Art Unit</b><br>2626                  |  |

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 04 August 2008.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1 to 7 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1 to 7 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All    b) ☐ Some \*    c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☒ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)          | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____                                      |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)          | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____  | 6) <input type="checkbox"/> Other: _____                          |

## **DETAILED ACTION**

### ***Claim Rejections - 35 USC § 112***

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 1 to 7 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Independent claim 1 is indefinite because the limitations of “c) combining the fields used for the calculating of priority value into a field group” and “d) forming a plurality of groups from each individual field and at least two fields of the array adjacent to this field” are confusing and do not make it clear how the fields are combined. The limitations recite “a field group” and then “a plurality of groups”, so it is not clear whether the same groups are being referenced; generally, a first recitation of an element should be by an indefinite article “a” or “an”, and then any subsequent reference to the same element should be by a definite article “said” or “the”. Moreover, the manner in which the claim is drafted does not make it clear whether “a plurality of groups” are all formed from the same individual field and same two fields adjacent to this field, or each group is formed from different fields. Furthermore, independent claim 1 sets forth a limitation of “e) assigning a priority to the individual groups”, but “the individual groups” does not have any strict antecedent basis because only “each individual field” is previously

Art Unit: 2626

recited. Similarly, independent claim 1 recites the limitation of "c) combining the fields used for the calculating of priority value into a field group", but "the calculating of priority value into a field group" lacks antecedent basis for "the calculating", and the actual recitation of "e) assigning a priority" does not occur until later in the claim, where the step is given as "assigning a priority" rather than "calculating of priority values".

More generally, it is understood that Applicant is drawing an analogy between a two-dimensional array of pixels for an image and a two dimensional array of fields for an audio signal, but the analogy is faulty insofar as an image has two spatial dimensions, while an audio signal has a first dimension of frequency and a second dimension of time. Thus, it is unclear whether the fields are to be understood to be grouped only for frames by adjacent times or whether they may be grouped by adjacent frequencies.

### ***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1 to 3 and 7 are rejected under 35 U.S.C. 103(a) as being unpatentable over *Atlas et al.* in view of *Yong*.

Concerning independent claim 1, *Atlas et al.* discloses a method for multiresolution scalable audio coding, comprising:

Art Unit: 2626

“resolving an audio signal into a number of  $n$  spectral components” – a normalized audio input signal is processed by a 2D transform; the first transform produces time varying spectral estimates (column 5, line 66 to column 6, line 4: Figure 1: Step 30); a two dimensional transform process starts with a filter bank, and a base transform process 154 provides a matrix of time samples having frequency indices  $k$  (“ $n$  spectral components”) (column 8, line 1 to column 9, line 13: Figure 2);

“storing of the resolved audio signals in a two-dimensional array with a multiplicity of fields, with frequency and time as dimensions and the amplitude as particular value to be entered in the field” – the transforms produce a magnitude matrix (column 6, lines 2 to 4: Figure 1); a 2D time frequency distribution 156 has a plurality of frequency bins across a vertical axis (“frequency . . . as dimensions”), and a plurality of time windows across a horizontal axis (“and time as dimensions”) (column 9, lines 5 to 13: Figure 2); magnitude matrix contains coefficients that represent an approximate mean spectral density (“amplitude as particular value to be entered in the field”) of the input signal, or an implicit power spectral density (column 6, lines 5 to 17 column 9, lines 56 to 60); the mean spectral density is represented by magnitude values  $X_m^D$  for each element of the matrix illustrated in Figure 2, where the magnitude values are equivalent to amplitudes; a magnitude matrix is represented by MSD function coefficients, which are equivalent to “the amplitude” of a “field” of “a two-dimensional array” because each MSD function coefficient represents a magnitude for a frequency component at a given time;

“assigning a priority to the individual groups, the priority of one group over another group becoming greater the greater the amplitudes of the groups values and/or the greater the amplitude differences of the values of a group and/or the closer the group is to the current time” – matrices are quantized and priority ordered into a data packet, with the least perceptually relevant information at the end of the packet (Abstract); coefficients of the quantized matrices are prioritized based on the spectral frequency and modulation frequency (column 3, lines 40 to 44); implicitly, a modulation frequency represents a change, or modulation, of an amplitude of a frequency component from frame to frame (“the greater the amplitude differences”);

“sorting the field groups of said array with the aid of their priority value” – the prioritized coefficients are then encoded into the data packet in priority order, so that the most perceptually relevant coefficients are adjacent to the beginning of the data packet and the least perceptually relevant coefficients are adjacent to the end of the packet (column 3, lines 44 to 49); the final step prior to the transmission of the encoded data is perceptual ordering; an example of perceptual ordering is to put the highest priority elements of the magnitude and phase matrix into the bit stream packet first, where low modulation frequencies have priority over higher modulation frequencies (column 11, line 61 to column 12, line 3); ordering the coefficients by perceptual priority is equivalent to “sorting the field groups” by “their priority value”;

“storing and/or transmitting the groups to the receiver in the sequence of their priority” – matrices are quantized and priority ordered into a data packet, with the least perceptually relevant information at the end of the packet (Abstract); the prioritized

Art Unit: 2626

coefficients are then encoded into the data packet in priority order, so that the most perceptually relevant coefficients are adjacent to the beginning of the data packet and the least perceptually relevant information are adjacent to the end of the packet (column 3, lines 41 to 53); the most perceptually relevant information can be sent, stored, or otherwise utilized, using the available channel capacity (column 3, lines 50 to 53); in addition to its use in producing data packets for transmission over a network, the present invention is equally applicable in creating data packets that require less storage space on a storage medium (column 10, lines 62 to 65); the ordered data are packed into a bit stream packet (column 12, lines 4 to 7).

Concerning independent claim 1, the only elements not clearly disclosed by *Atlas et al.* are “combining the fields used for the calculating of priority value into a field group” and “forming a plurality of groups from each individual field and at least two fields of the array adjacent to this field”. *Atlas et al.* suggests that fields may be combined into field groups because MSD function coefficients (“fields”) may be extracted from frequency groups approximately representing the critical band structure of the human auditory system. (Column 6, Lines 35 to 39) Moreover, MSD function coefficients are encoded into a data packet by a run length coder to remove redundancy. (Column 7, Lines 1 to 3) Implicitly, run length coding of MSD function coefficients combines identical adjacent coefficients by a single symbol in the same manner that run length coding of pixels combines identical adjacent pixels by a single symbol. Similarly, *Atlas et al.* discloses auditory notes, which are equivalent to combining adjacent fields because a note has a

Art Unit: 2626

plurality of frequency components and time components. However, *Atlas et al.* does not clearly disclose that priority is assigned based on greater amplitude values or greater amplitudes differences, although it is contended that a modulation frequency represents a change in amplitude of frequency components between frames.

Concerning independent claim 1, *Yong* teaches a prioritization method and device for speech frames coded by a linear predictive coder, where a priority is assigned to a selected speech frame based on at least an energy ("amplitude") of the speech frame. (Abstract) A priority is assigned to each selected speech frame that protects against loss of perceptually important and/or hard-to-reconstruct speech frames based on a comparison of priorities assigned to selected immediately previous speech frames. (Column 3, Lines 43 to 57) One method assigns a high priority to high energy speech frames and a low priority to low energy speech frames. (Column 5, Line 68 to Column 6, Line 2) *Yong* provides for "combining the fields . . . into a field group" and "forming a plurality of groups from each individual field and at least two fields . . . adjacent to this field" because assigning of priority is based on a current speech frame (CSF) and one or more immediately preceding speech frames (IPSF). (Column 2, Lines 35 to 59: Figure 2) An ONSET or NON-ONSET condition is set by grouping a plurality of frames as to whether they have a large variation from their preceding speech frames or that are a beginning of a talkspurt. (Column 4, Lines 61 to 66; Column 6, Lines 7 to 21) *Yong* states an objective for prioritization of speech frames in a linear predictive coder is to protect against loss of perceptually important information. (Abstract) It would have been obvious to one having ordinary skill in the art to apply a prioritization



Art Unit: 2626

method in a time domain for linear predictive coding to group fields for calculating priority as taught by *Yong* in a perceptually ranked signal coding method based on a time-frequency matrix of *Atlas et al.* for a purpose of protecting against loss of perceptually important information.

Concerning claim 2 and 3, *Atlas et al.* discloses that magnitude matrices are priority ordered so that the least relevant information may be placed at the end of the packet (Abstract; column 3, lines 44 to 49); depending upon the channel capacity, the least perceptually relevant information may not be added to the data packet before transmission; alternatively, the least perceptually relevant information may be truncated from the data packet (column 3, lines 50 to 57); fine grain scalability can be achieved by truncating a frame at any point above a predefined minimum threshold before transmission determined by available bandwidth, with a minimal adverse impact on the perceived quality of the perceptual data (column 12, lines 4 to 19); thus, either “the entire audio signal . . . is processed and transmitted in its entirety” by placing the least relevant information at the end of the packet, or “only a portion of the audio signal is processed and transmitted” when the least perceptually relevant information may not be added to, or is truncated from, the data packet as determined by available bandwidth.

Concerning claim 7, *Atlas et al.* discloses a decoder 200 receives a packet, and reverses the encoding process, yielding standard PCM code for playback (column 11, lines 10 to 35; Figure 9); applications include listening, sampling, or purchasing music

Art Unit: 2626

via electronic distribution systems or broadcast systems, or for progressive playback of music (column 13, lines 1 to 59); implicitly audio systems operate on electric signals.

Claims 4 to 6 are rejected under 35 U.S.C. 103(a) as being unpatentable over *Atlas et al.* in view of *Yong* as applied to claim 1 above, and further in view of *Levine et al.*

Concerning claims 4 and 5, *Atlas et al.* discloses a two-dimensional transform process involving a time domain aliasing canceling filter bank, a modified discrete cosine transform (MDCT), and a modified discrete sine transform (MDST) for producing magnitude values  $X_m^D$  for each element of the matrix. (Column 8, Line 1 to Column 9, Line 60: Figure 2) A modified discrete cosine transform (MDCT), and a modified discrete sine transform (MDST) are somewhat more complex representations of a Fast Fourier Transform (FFT) and a number  $n$  of frequency selective filters, because *Atlas et al.* is concerned with preserving phase information. However, *Atlas et al.* does disclose a filter bank, which is equivalent to “a number  $n$  of frequency selective filters.” In any event, it is well known that there are a plurality of art recognized alternative ways of transforming a signal into its individual frequency components by Fourier analysis, and that filter banks (“a number  $n$  of frequency selective filters”) and a Fast Fourier Transform are among the most common alternatives. Specifically, *Levine et al.* teaches a system and method for multiresolution scalable audio signal encoding, where a multi-complementary filter bank 132 splits an input audio signal into several octave-band signals 136 on lines 138-1 to 138- $n$  for bands 1 to  $n$ . (Column 5, Line 19 to Figure 6,

Art Unit: 2626

Line 17: Figure 1: Table 1) Then, a sinusoidal component identifier 140 is implemented using a short time frame FFT to identify spectral peaks within each band signal 136.

Sinusoidal components parameters 142 are produced by the FFT analysis to give a parameter tuple representing frequency, amplitude, and phase of each identified spectral component. (Column 6, Lines 18 to 50: Figure 1) An objective is to identify deterministic or sinusoidal components, transient components representing the onset of notes or other events in an audio signal, and stochastic components, so that compressed encoded audio data can meet a specified transmission bandwidth limit.

(Abstract) It would have been obvious to one having ordinary skill in the art to substitute art recognized alternatives of an FFT and a number  $n$  of frequency selective filters as taught by *Levine et al.* for the filter bank, MDCT, and MDST of *Atlas et al.* for a purpose of reducing bandwidth by identifying transient components representing the onset of notes for an audio signal.

Concerning claim 6, *Atlas et al.* omits interpolation at a receiver of values still to be transmitted from already available values due to the assigned prioritization.

However, it is fairly well known to interpolate lost packets from available data in audio coders operating according to a standard of MPEG. Specifically, *Levine et al.* teaches a system and method for multiresolution scalable audio signal encoding, where a missing packet can be estimated by interpolating from values received in the data packets before and after a lost packet when a packet happens to be lost in transmission.

(Column 13, Lines 13 to 20) An objective is to identify deterministic or sinusoidal components, transient components representing the onset of notes or other events in

Art Unit: 2626

an audio signal, and stochastic components, so that compressed encoded audio data can meet a specified transmission bandwidth limit. (Abstract) It would have been obvious to one having ordinary skill in the art to interpolate values still to be transmitted from already available values as taught by *Levine et al.* for a method of multiresolution scalable audio coding of *Atlas et al.* for a purpose of reducing bandwidth by identifying transient components representing the onset of notes for an audio signal.

### ***Response to Arguments***

Applicant's arguments filed 04 August 2008 have been considered but are moot in view of the new grounds of rejection, necessitated by amendment.

Applicant has amended independent claim 1, but has presented no significant new arguments for patentability.

### ***Conclusion***

The prior art made of record and not relied upon is considered pertinent to Applicant's disclosure.

Imai, Sato, and Takamizawa et al. disclose related art.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Martin Lerner whose telephone number is (571) 272-7608. The examiner can normally be reached on 8:30 AM to 6:00 PM Monday to Thursday.

Art Unit: 2626

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David R. Hudspeth can be reached on (571) 272-7843. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Martin Lerner/  
Primary Examiner  
Art Unit 2626  
August 27, 2008